

BLUE STONE 3/8"

The 3/8" Broken Stone, shall be Dolomite or Traprock to conform to the specifications herein. The Stone shall meet the following characteristics: Uniformly mixed, washed, clean, hard, strong, tough, sound and durable crushed rock, free from adherent coatings and when tested with Laboratory Sieves, shall meet the grading requirements shown in the following table. Stone that does not test within the limits specified, may be rejected.

GRADING REQUIREMENTS

% Passing A	1/2"	Square Mesh Sieve	100%		
% Passing A	3/8"	Square Mesh Sieve	90%	-	100%
% Passing A	#4	Mesh Sieve	20%	-	40%
% Passing A	#8	Mesh Sieve	0%	-	5%

SPECIFICATIONS

3/4" BLUE STONE

Estimated quantity is 350 Tons. Minimum delivery requirements may cause your bid to be rejected

Blue Stone is to be delivered to the Cedar Beach Marina located on Ocean Parkway.

AGGREGATE BLEND -- MANUAL

Specification ID : ASTM C-33 #57

Blend ID : ASTM #57

Sieve	Low	High	% Pass	Aggregate	Pct
1-1/2 "	100.0	100.0	100.0	0626C	* 100.0
1 "	95.0	100.0	100.0		
1/2 "	25.0	60.0	39.6		
# 4	-	10.0	3.0		
# 8	-	5.0	1.0		

Cost - Fineness modulus -

